AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A medical checkup network system comprising:

a patient terminal for measuring a-predetermined biodata of each patient such as including at least one of a blood pressure or and a body temperature;

a center server for storing the biodata measured by the patient terminal; and a doctor terminal through which medical staff ean-is enabled to view the biodata stored in the-said center server to conduct a diagnosis, wherein:

wherein the <u>said</u> patient terminal, the <u>said</u> doctor terminal, and the <u>said</u> center server are connected with each other over a communication network;

said doctor terminal includes a sensitivity setting section for determining a level of sensitivity for receiving, at said patient terminal, a signal output from a sensor;

said center server includes a section for receiving and storing the sensitivity level determined by said sensitivity setting section of said doctor terminal; and

said patient terminal includes a section for communicating with said center server to receive the sensitivity level and modifying the sensitivity of the sensor based on the received sensitivity level.

2. (Currently Amended) A medical checkup network system comprising:

a doctor terminal for entering a-predetermined medical support data such as an including at least one of advice data or and schedule data to a patient;

a center server for storing the medical support data entered through the said doctor terminal; and

a patient terminal for displaying the medical support data received from the said center server, wherein:

wherein the <u>said</u> patient terminal, the <u>said</u> doctor terminal, and the <u>said</u> center server are connected with each other over a communication network.

said doctor terminal includes a sensitivity setting section for determining a level of sensitivity for receiving, at said patient terminal, a signal output from a sensor;

said center server includes a section for receiving and storing the sensitivity level determined by said sensitivity setting section of said doctor terminal; and

said patient terminal includes a section for communicating with said center server to receive the sensitivity level and modifying the sensitivity of the sensor based on the received sensitivity level.

- 3. (Currently Amended) The medical checkup network system according to claim 1, wherein the said center server has includes an authorizing section for providing the patient, the said patient terminal, the medical staff or the said doctor terminal registered in the said center server with an access right to enter a data or access the data stored in the said center server.
- 4. (Currently Amended) The medical checkup network system according to claim 1, wherein the <u>said</u> center server <u>has includes</u> an administrator terminal <u>function</u> for registering the user of the <u>said</u> system and inputting the various medical data in the <u>said</u> center server.
- 5. (Currently Amended) The medical checkup network system according to claim 1, wherein the said center server is arranged for storing operable to store at least one software content program to the said patient terminal, the said doctor terminal or the said administrator terminal, and each of the said patient, doctor and administrator terminals downloads is operable to download the software content from the said center server to for use.
- 6. (Currently Amended) The medical checkup network system according to claim 5, wherein:

the software content of the said patient terminal includes a-version data which is indicative of a version of the software; content, and

the said patient terminal compares is operable to compare the version data of the software content in the said patient terminal with a latest version data managed in the said center server upon communicating with the said center server, and when the version data is older than the update version data, systematically downloads download a the latest version of the software content from the said center server for upgrading the version up of the software in said patient terminal.

7. (Currently Amended) The medical checkup network system according to claim 2, wherein:

the <u>said</u> center server <u>stores</u> is operable to store the advice data directed to a patient entered at the <u>said</u> doctor terminal;

the <u>said</u> patient terminal <u>has includes</u> a section for detecting the reception of the advice data; and

the <u>said</u> doctor terminal <u>has includes</u> a section for communicating with <u>the said</u> center server and displaying whether or not the advice data is received by <u>the said</u> patient terminal.

- 8. (Currently Amended) The medical checkup network system according to claim 4, wherein the <u>said</u> administrator terminal-<u>registers</u> is operable to register, to the in said center server, an access right for the patient, the <u>said</u> patient terminal, the <u>a</u> doctor of the medical staff or the said doctor terminal.
- 9. (Currently Amended) The medical checkup network system according to claim 4, wherein the said administrator terminal enters is operable to enter patient terminal data which is data related to the said patient terminal to be used by the patient.
- 10. (Currently Amended) The medical checkup network system according to claim 9, wherein the <u>said</u> administrator terminal is arranged for executing at least one of <u>procedures</u> comprising:

a procedure of entering <u>an</u> identification number which identifies the <u>said</u> patient terminal;

a procedure of entering a name of a patient corresponding to the identification number; a procedure of entering <u>an</u> identification code corresponding to the patient name;

a procedure of entering at least one measurement item corresponding to the patient name;

a procedure of entering at least one name of <u>an</u> instrument which senses biodata corresponding to the measurement item.

and

11. (Currently Amended) The medical checkup network system according to claim 1, wherein:

the said doctor terminal has includes a biodata threshold setting section for setting a threshold of the biodata for each patient; and

the <u>said</u> center server <u>has includes</u> an alert section, the alert section for receiving the threshold <u>determined set</u> by <u>said biodata threshold setting section of said</u> the doctor terminal and providing the <u>said</u> doctor terminal with an alert when the level of the biodata of the patient measured by the <u>said</u> patient terminal exceeds the threshold.

12. (Canceled)

- 13. (Currently Amended) The medical checkup network system according to claim 1, wherein the said patient terminal has includes an initial connection setting section for communicating with the said center server so as to execute a predetermined process upon being energized, and the said initial connection setting section is arranged for performing being operable to at least one of automatically updating update the software content of said patient terminal, receiving the receive medical support data including the schedule data and the advice data, and transmitting transmit measurement data which is has not been transferred.
- 14. (Currently Amended) The medical checkup network system according to claim 1, wherein:

the <u>said</u> patient terminal <u>hasincludes</u> a communicating section for measuring at least one kind of biodata to transmit the measured biodata to the <u>said</u> center server;

the said patient terminal; and

the <u>said</u> doctor terminal <u>hasincludes</u> a biodata displaying section for communicating with the <u>said</u> center server and displaying the biodata stored in the <u>said</u> database.

15. (Currently Amended) The medical checkup network system according to claim 14, wherein the said patient terminal includes:

a measurement interface connected with at least one sensor for measuring the biodata;

a biodata memory for storing the biodata measured by the <u>at least one</u> sensor and received through the said measurement interface;

a communicating section for transmitting the biodata stored in the said biodata memory and receiving the said patient terminal data from the said center server at the time of upon installation of said patient terminal in the patient's home of the patient; and

an instrument data memory for storing the <u>an</u> identification number of each sensor to discriminate the at least one sensor instruments from each other.

16. (Currently Amended) The medical checkup network system according to claim 15, wherein the said patient terminal performs a procedure of is operable to:

<u>connecting connect</u> to <u>the said</u> center server over the communication network <u>at the time</u> <u>of upon the installation of said patient terminal;</u>

a procedure of receiving receive, from said center over the communication network, from the center server-patient terminal data which includes a name of the patient corresponding to an identification number of the said patient terminal, an identification code corresponding to the patient name, a measurement item corresponding to the patient name, an instrument name of the sensor corresponding to the measurement item, and control data of the sensor; and

a procedure of storing store the received patient terminal data.

17. (Currently Amended) The medical checkup network system according to claim 14, wherein the said patient terminal includes:

a measurement interface connected with at least one sensor for measuring the biodata; a biodata memory for storing the biodata measured by the <u>at least one</u> sensor and received through the said measurement interface;

a communicating section for transmitting the biodata stored in the said biodata memory to the said center server;

an instrument data memory for storing <u>an</u> identification number to discriminate the <u>at</u> <u>least one</u> sensor instruments-from each other; and

a recording medium interface for receiving the biodata from a detachable recording medium at the time of upon installation of said patient terminal in the patient's home of the patient.

18. (Currently Amended) The medical checkup network system according to claim 17, wherein the said patient terminal performs a procedure of soperable to:

receiving receive, at the time of upon the installation in the patient's home of said patient terminal, from a the detachable recording medium, patient terminal data including at least one of a name of the patient corresponding to an identification number of the said patient terminal, an identification code corresponding to the a patient name, a measurement item corresponding to the patient name, an instrument name of the health-sensor corresponding to the measurement item, and control data of the sensor; and

a procedure of storing store the received patient terminal data.

19. (Currently Amended) The medical checkup network system according to claim 2, comprising-wherein:

the said doctor terminal for receiving is operable to receive and monitoring monitor a schedule data of the a health care action for the patient;

the <u>said</u> center server for storing is operable to store the schedule data received from at least one doctor terminal; and

the <u>said</u> patient terminal <u>for communicating is operable to communicate</u> with <u>the said</u> center server to provide the patient with the schedule data received from <u>the said</u> center server.

- 20. (Currently Amended) The medical checkup network system according to claim 19, wherein the said patient terminal has includes at least one of a displaying section for displaying the a patient name, the a setting time and the medical activities in the form of messages and images upon receiving the schedule data, and a sound generator for releasing a voice sound representing contents of the patient name, the setting time and the medical activities.
- 21. (Currently Amended) The medical checkup network system according to claim 19, wherein the schedule data includes at least one of pairspair including a pair of the time and detail of a dosage, a pair of the time of a visit on the patient and a name of a visitor or the medical staff, a pair of the time of a reservation and detail of the medical treatment at the a medical facility, and a pair of the time and item of a measurement of the biodata.

22. (Currently Amended) The medical checkup network system according to claim 19, wherein:

the <u>said</u> center server <u>hasincludes</u> a homepage builder for receiving the schedule data from the <u>said</u> doctor terminal and converting the schedule data into data in an HTML or XML format, and a WEB server for storing the data related to the homepage; and

the <u>said</u> patient terminal <u>hasincludes</u> a browser function for communicating with <u>the said</u> center server, receiving the schedule data in the HTML or XML format, and displaying the schedule data.

23. (Currently Amended) The medical checkup network system according to claim 19, wherein:

the said center server has includes a mail transmitting section for storing the schedule data received from at least one doctor terminal and dispatching, as an e-mail, the medical activities to be done by the patient at the timing determined by the schedule data; and

the <u>said</u> patient terminal <u>hasincludes</u> a receiving section for receiving the e-mail from the <u>said</u> center server, and a displaying section for displaying details of the e-mail.

24. (Currently Amended) The medical checkup network system according to claim 19, wherein:

the said patient terminal has includes a response entering section for entering the a result of the medical activities indicating whether or not the activities are performed according to the schedule data;

the said center server has includes a database for communicating with the said patient terminal, receiving the result of the medical activities from the said patient terminal so as to store the result of the activities; and

the <u>said</u> doctor terminal <u>hasincludes</u> a section for communicating with <u>the said</u> center server and receiving the result of the medical activities stored in <u>the said</u> database <u>so as to</u> display the result.

25. (Currently Amended) The medical checkup network system according to claim 24, wherein:

the <u>said</u> response entering section in the <u>of said</u> patient terminal is implemented in an HTML or XML format over a browser; and

the <u>said</u> center server <u>has includes</u> a WEB server for communicating with the browser in the <u>said</u> patient terminal to receive the result of the medical activities, and a database for storing the result of the medical activities received at the <u>by said</u> WEB server.

26. (Currently Amended) The medical checkup network system according to claim 24, wherein:

the said patient terminal has includes a mail transmitting section for converting the result of the medical activities into a form of text form data to transmit the converted data as an e-mail; and

the said center server has includes an e-mail receiving section for receiving the e-mail from the said patient terminal, an analyzing section for extracting a the text data from the e-mail so as to check the result of the medical activities, and a database for storing the result of the medical activities.

- 27. (Currently Amended) The medical checkup network system according to claim 23, wherein the said patient terminal comprises one of a mobile phone, a pager, and a PDA-personal data assistant which ean are enabled to transmit and receive the e-mails.
- 28. (Currently Amended) The medical checkup network system according to claim 2, wherein the said center server has includes an authorizing section for providing the patient, the said patient terminal, the medical staff or the said doctor terminal registered in the said center server with an access right to enter a data or access the data stored in the said center server.
- 29. (Currently Amended) The medical checkup network system according to claim 2, wherein the <u>said</u> center server <u>hasincludes</u> an administrator terminal <u>function</u> for registering the user of the said system and inputting the various medical data in the <u>said</u> center server.

- 30. (Currently Amended) The medical checkup network system according to claim 2, wherein the said center server is arranged for storing operable to store at least one software content program to the said patient terminal, the said doctor terminal or the said administrator terminal, and each of the said patient, doctor and administrator terminals downloads is operable to download the software content from the said center server to for use.
- 31. (Currently Amended) The medical checkup network system according to claim 30, wherein:

the software content of the said patient terminal includes a-version data which is indicative of a version of the software; content, and

the said patient terminal compares is operable to compare the version data of the software content in the said patient terminal with a latest version data managed in the said center server upon communicating with the said center server, and when the version data is older than the update version data, systematically downloads download a the latest version of the software content from the said center server for upgrading the version upof the software in said patient terminal.

- 32. (Currently Amended) The medical checkup network system according to claim 29, wherein the <u>said</u> administrator terminal <u>registers is operable to register</u>, to the <u>in said</u> center server, an access right for the patient, the patient terminal, the <u>a</u> doctor or the <u>said</u> doctor terminal.
- 33. (Currently Amended) The medical checkup network system according to claim 29, wherein the said administrator terminal enters is operable to enter patient terminal data which is data related to the said patient terminal to be used by the patient.
- 34. (Currently Amended) The medical checkup network system according to claim 33, wherein the administrator terminal is arranged for executing at least one of procedures emprising:

a procedure of entering <u>an</u> identification number which identifies the <u>said</u> patient terminal;

a procedure of entering a name of a patient corresponding to the identification number;
a procedure of entering an identification code corresponding to the patient name;
a procedure of entering at least one measurement item corresponding to the patient name;
and

a procedure of entering at least one name of <u>an</u> instrument which senses biodata corresponding to the measurement item.

- 35. (Currently Amended) The medical checkup network system according to claim 2, wherein the said patient terminal has includes an initial connection setting section for communicating with the said center server so as to execute a predetermined process upon being energized, and said the initial connection setting section is arranged for performing being operable to at least one of automatically updating update the software content of said patient terminal, receiving the receive medical support data including the schedule data and the advice data, and transmitting transmit measurement data which is has not been transferred.
- 36. (Currently Amended) The medical checkup network system according to claim 26, wherein the said patient terminal comprises one of a mobile phone, a pager, and a PDA personal data assistant which ean are enabled to transmit and receive the e-mails.